

Make an Eloise Elephant Puppet



PATTERN FOR AN ELOISE ELEPHANT PUPPET

The puppet is cut from 12" X 12" squares of colored felt. You will need the following:

- 3 squares of white felt
- A small amount of pink
- A small amount of brown
- A small amount of yellow

The puppet body pattern should be placed on a fold of the fabric at the dotted line. You will need two body parts—one for the front of the puppet and the other for the back of the puppet. **IMPORTANT: Do not glue or sew the front to the back until the other pieces are in place.** Cut out the other pieces. Sew or glue the pieces to the front head piece before putting the puppet together. Draw features on with a magic marker. (Alternative—embroider the features on.) This should be done prior to putting the puppet together. The puppet can then be sewn or glued together around the edges leaving the bottom open for your hand.






PIECES CUT FROM TWO
WHITE SQUARES OF FELT

ELEPHANT BODY
PLACE PATTERN ON
FOLD OF THE
FABRIC AT THE
DOTTED LINE AND
CUT ON THE SOLID
LINES ONLY.
CUT ONE FOR THE
BODY FRONT AND
ONE FOR THE BODY
BACK


FRONT AND BACK BODY
CUT TWO OF THESE



ELEPHANT
EARS LEFT
AND
RIGHT—
ATTACH TO
FRONT
HEAD PIECE
BEFORE
ASSEMBLY




ELEPHANT FLOWERS—ATTACH
BROWN CENTERS AND
EMBROIDER LINES ON FLOWERS
BEFORE ASSEMBLY.
(CENTERS CAN BE HOLE
PUNCHED FROM BROWN FELT.)




TRUNK—ATTACH TO FRONT
HEAD PIECE
BEFORE ASSEMBLY





ELEPHANT MOUTH—ATTACH TO
FRONT HEAD PIECE PARTLY
UNDER TRUNK
BEFORE ASSEMBLY



ELEPHANT TOENAILS
ATTACH TO ENDS OF
ARMS ON FRONT
AND BACK TOPS AND
HEAD FRONT BEFORE
ASSEMBLY



ELEPHANT HEAD FRONT AND BACK—
ATTACH FACIAL FEATURES TO FRONT
PIECE BEFORE ASSEMBLY



ELEPHANT EYES—ADD
EMBROIDERED BLUE EYES
BEFORE ASSEMBLY



ELEPHANT EYE PUPILS—
EMBROIDER STAR PATTERN
ON PUPILS AND ATTACH TO
WHITE EYE PIECES BEFORE
ASSEMBLY. (SEE PUPPET IL-
LUSTRATION)

